Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior

versions, and listings, of claims in the application. Material to be inserted is in bold and

underline, and material to be deleted is in strikeout or (if the deletion is of five or fewer

consecutive characters or would be difficult to see) in double brackets [[ ]].

Please cancel claim 6 without prejudice.

Please amend claims 1-5 and 7-9 as indicated below.

(Currently Amended) A mobile joint (1) suitable for a sitting device,

comprising a first and second joint element (10, 20), which are pivotally connected by a

shaft (3) (30), to allow tilting of the sitting device caused by the displacement of the

users weight, characterized in that wherein the mobile joint comprises a first and

second parallel plate spring (18,19) with first and second ends, with an intermediate

blocking element (11), wherein each plate spring (18,19) in the first end are is

connected to the first joint element (10), and in the second end are is glidingly abutting

the second joint element (20), the first and second plate spring (18,19) each having an

axis of rotation that is displaced in relation to each other and the shaft (3) (30).

2. (Currently Amended) The Mobile mobile joint (1) according to claim

1 characterized in that wherein the springs (18, 19) abut curved faces (22, 23) on the

blocking device element (11) when deflected.

- (Currently Amended) The Mebile mobile joint (1) according to claim
   eharacterized in that wherein the spring is adjustable by adjusting the distance from the axis of rotation of the shaft (30) to the fixing of the springs (18, 19).
- (Currently Amended) The Mobile mobile joint according to claim 1, characterized in that wherein the springs are made of fibreglass.
- (Currently Amended) The Mebile mobile joint according to claim 4
  characterized in that wherein the fibreglass is reinforced by means of carbon and/or
  KEVLAR high-strength polymers.
  - (Canceled)
- 7. (Currently Amended) The Mobile in in according to claim 1, characterized in that wherein the outside dimensions of the joint (1) is approximately 8 cm x 10 cm x 8 cm (height x width x length) are approximately 8 cm in height, 10 cm in width, and 8 cm in length.
- 8. (Currently Amended) The Use use of the mobile joint (1) formed according to one of the preceding claims in a chair comprising a seat device (100) and an underframe (200) wherein the mobile joint (1) connects the seat device (100) and the underframe (200).

9. (Currently Amended) The Use <u>use</u> according to claim 8 wherein the mobile joint (1) is integrated in the seat device (100).